### PPC No. 876 BLACK REINFORCED FOIL TAPE

Page 1 of 4 MAR 2010 VERSION: 2-02

#### **COMPANY DETAILS**

PRECISION PAPER COATINGS PTY LTD

25 MIOWERA ROAD, VILLAWOOD NSW 2163

P.O. BOX 654 CHESTER HILL NSW 2162

FAX: (02) 9780 9000

FAX: (02) 9728 9966

E-MAIL: info@ppcpl.com.au

#### **IDENTIFICATION**

PRODUCT NAME: PPC No. 876 BLACK REINFORCED FOIL TAPE

OTHER NAME (S): NIL IDENT NUMBER (S): NIL

UN NUMBER: FREE

DANGEROUS GOODS CLASS

AND SUBSIDIARY RISK: NOT APPLICABLE PACKAGING GROUP: NOT APPLICABLE HAZCHEM CODE: NOT APPLICABLE POISON SCHEDULE: NOT APPLICABLE

USE: VAPOUR SEAL TAPE IN AIR CONDITIONING

**INSTALLATIONS** 

## PHYSICAL DESCRIPTION/PROPERTIES

APPEARANCE: ROLL OF TAPE WITH LINER PROTECTION

BOILING/MELTING POINT: NOT APPLICABLE VAPOUR PRESSURE: N/A
DENSITY: NOT APPLICABLE FLASHPOINT: N/A
FLAMMABILITY LIMITS: NOT APPLICABLE SOLUBILITY IN WATER: N/A

OTHER PROPERTIES

THERMAL DECOMPOSITON: DATE OF TEST: 18 DECEMBER 2008

PASSES AS 1530 PART 3-1999

<u>INGREDIENTS</u>

CHEMICAL IDENTITY: CAS No. PROPORTION

SYNTHETIC ADHESIVE MEDIUM
RELEASE LINER (COATED PAPER) MEDIUM
ALUMINIUM FOIL/ POLYETHYLENE/SCRIM MEDIUM

# **HEALTH HAZARD INFORMATION**

## **HEALTH EFFECTS - ACUTE**

SWALLOWED: NONE APPLICABLE UNDER TRAINED INDUSTRY USAGE EYE: NONE APPLICABLE UNDER TRAINED INDUSTRY USAGE SKIN: NONE APPLICABLE UNDER TRAINED INDUSTRY USAGE INHALED: NONE APPLICABLE UNDER TRAINED INDUSTRY USAGE

#### PPC No. 876 BLACK REINFORCED FOIL TAPE

Page 2 of 4 MAR 2010 VERSION: 2-02

HEALTH EFFECTS - CHRONIC NONE KNOWN

FIRST AID

SWALLOWED: NOT APPLICABLE UNDER TRAINED INDUSTRY USAGE EYE: NOT APPLICABLE UNDER TRAINED INDUSTRY USAGE SKIN: NOT APPLICABLE UNDER TRAINED INDUSTRY USAGE INHALED: NOT APPLICABLE UNDER TRAINED INDUSTRY USAGE

ADVICE TO DOCTOR: NOT APPLICABLE UNDER TRAINED INDUSTRY USAGE

## PRECAUTIONS FOR USE

EXPOSURE STANDARDS: NOT APPLICABLE

**ENGINEERING CONTROLS:** 

THIS IS A FOIL BASED ADHESIVE TAPE PROTECTED BY A PAPER LINER. AS SUCH, THE FOLLOWING ARE POINTED OUT TO THE USERS OF THIS PRODUCT: -

- 1. THE BACKING SURFACE IS HIGHLY REFLECTIVE OF LIGHT. USE ADEQUATE CARE NOT TO BE "BLINDED" BY REFLECTIONS DURING APPLICATION
- 2. THE TAPE IS A "TOUGH" CONSTRUCTION. IT'S MAIN COMPONENTS BEING BACKING AND PAPER, TAKE CARES NOT TO BE CUT BY EITHER THE BACKING OR THE PAPER RELEASE LINER EDGES DURING APPLICATION.
- 3. THE PAPER RELEASE LINER IS SLIPPERY. THIS MEANS THAT THE LINER SHOULD BE DISCARDED INTO A SUITABLE CONTAINER IMMEDIATELY AFTER REMOVAL PRIOR TO TAPE APPLICATION TO AVOID SLIP HAZARDS.

# PERSONAL PROTECTION

USERS WHO ARE UNDERGOING TRAINING IN PROPER USE MAY BE ADVISED TO USE PROTECTIVE GLOVES UNTIL JUDGED FULLY TRAINED IN THE USE AND APPLICATION OF THE PRODUCT.

THE ABOVE ENGINEERING CONTROLS SHOULD BE MADE ADEQUATELY CLEAR TO ALL USERS.

#### FLAMMABILITY

KEEP AWAY FROM SOURCES OF IGNITION: YES

USE ONLY IN FLAMEPROOF AREA: NO

BE AWARE THAT LINER REMOVAL MAY GENERATE STATIC DISCHARGES

### PPC No. 876 BLACK REINFORCED FOIL TAPE

Page 3 of 4 MAR 2010 VERSION: 2-02

## SAFE HANDLING INFORMATION

## STORAGE AND TRANSPORT

GENERAL: NO SPECIAL REQUIREMENTS

STORAGE: STORE IN ORIGINAL CONTAINER AT ROOM

TEMPERATURE

UN NUMBER: FREE

DG CLASS & SUBSIDIARY RISK:

PACKAGING GROUP:

HAZCHEM CODE:

NOT APPLICABLE

NOT APPLICABLE

IATA CLASS: FREE IMDG REFERENCE: FREE

INCOMPATIBLE DG CLASSES: NONE KNOWN INCOMPATIBLE RECEPTACLE: NONE KNOWN INCOMPATIBLE SUBSTANCES: NONE KNOWN

EMERGENCY PROCEDURE GUIDE DATE: NOT APPLICABLE

HANDLING: NOT APPLICABLE

WHOLESALE-CARTONED PRODUCT: NOT APPLICABLE

AT SITE USE PRODUCT: SEE ENGINEERING CONTROLS ABOVE

# SPILLS & DISPOSAL

THIS IS A STABLE MANUFACTURED PRODUCT. SPILLS WOULD NORMALLY REQUIRE ONLY COLLECTION OF SPILT MATERIAL.

DISPOSAL IS SUBJECT TO LOCAL STATE WASTE REGULATIONS.

# FIRE/EXPLOSITION HAZARD

EXTINGUISHING MEDIA: WATER MIST, FOAM, C02, DRY POWDER

HAZARDOUS COMBUSTION PRODUCTS:

THERMAL DECOMPOSITION & BURNING MAY RELEASE OXIDES OF CARBON & OTHER TOXIC GASES OR VAPOURS. DO NOT RELEASE CHEMICALLY CONTAMINATED WATER INTO DRAINS, SOIL OR SURFACE WATERS. SUFFICIENT MEASURES MUST BE TAKEN TO RETAIN WATER USED FOR EXTINGUISHING. DISPOSE OF CONTAMINATED WATER AND SOIL ACCORDING TO LOCAL REGULATIONS.

## PPC No. 876 BLACK REINFORCED FOIL TAPE

Page 4 of 4 MAR 2010 VERSION: 2-02

### OTHER INFORMATION

**ENVIRONMENTAL DATA:** 

FISH TOXICITY:

TOXICITY TO BACTERIA:

OECD BIOLOGICAL DEGRADATION:

NOT AVAILABLE

NOT AVAILABLE

## **FURTHER INFORMATION**

SINCE WE CANNOT ANTICIPATE OR CONTROL THE MANY DIFFERENT CONDITIONS UNDER WHICH THIS INFORMATION AND THIS PRODUCT MAY BE USED, EACH SHOULD REVIEW THESE RECOMMENDATIONS IN THE SPECIFIC CONTEXT OF THE INTENDED APPLICATION AND CONFIRM THAT THEY ARE APPROPRIATE.

# CONTACT POINT

PLEASE CONTACT: LABORATORY MANAGER

PHONE: (02) 9780 9000

AUTHORISED BY: RON LEVOT DATE: 31-03-10