

MATERIAL SAFETY DATA SHEET

Page 1 of 4

JUNE 2006

**PPC No. 9801 ALUMINIUM BUTYL FOIL TAPE
1-00****VERSION:**

COMPANY DETAILS

PRECISION PAPER COATINGS PTY LTD
25 MIOWERA ROAD, VILLAWOOD NSW 2163
P.O. BOX 654 CHESTER HILL NSW 2162ABN: 3000 845 518
PHONE: (02) 9780 9000
FAX: (02) 9728 9966
E-MAIL: info@ppcpl.com.au

IDENTIFICATION

PRODUCT NAME: PPC No. 9801 ALUMINIUM BUTYL FOIL TAPE
OTHER NAME (S): NIL
IDENT NUMBER (S): NILUN NUMBER: FREE
DANGEROUS GOODS CLASS: N/A
PACKAGING GROUP AND
SUBSIDIARY RISK: NOT APPLICABLE
HAZCHEM CODE: NOT APPLICABLE
POISON SCHEDULE: NOT APPLICABLE

USE: WATERPROOF FLASHING

PHYSICAL DESCRIPTION/PROPERTIESAPPEARANCE: ALUMINIUM AND MASTIC COMPOUND
BOILING/MELTING POINT: N/A VAPOUR PRESSURE: N/A
DENSITY: N/A FLASHPOINT: N/A
FLAMMABILITY LIMITS: N/A SOLUBILITY IN WATER: N/A
SURFACE MASS: 1.16KG/M²
SOLUBILITY: SOLUBLE IN ORGANIC SOLVENTS
MATERIALS TO AVOID: ORGANIC SOLVENTS AND STRONG ACIDS**OTHER PROPERTIES**

THERMAL DECOMPOSITION: >250°C

ADHESIVE INGREDIENTS

<u>CHEMICAL IDENTITY:</u>	<u>CAS No.</u>	<u>PROPORTION</u>
CALCIUM CARBONATE	1317-65-3	<65%
AROMATICALLY MODIFIED ALIPHATIC HYDROCARBON RESIN	68527-25-3	<5%
POLYISOBUTANE	9003-29-6	<35%

MATERIAL SAFETY DATA SHEET

**PPC No. 9801 ALUMINIUM BUTYL FOIL TAPE
1-00**

**Page 2 of 4
JUNE 2006**

VERSION:

HEALTH HAZARD INFORMATION

HEALTH EFFECTS - ACUTE

SWALLOWED: NONE APPLICABLE UNDER TRAINED INDUSTRY USAGE
EYE: NONE APPLICABLE UNDER TRAINED INDUSTRY USAGE
SKIN: NONE APPLICABLE UNDER TRAINED INDUSTRY USAGE
INHALED: NONE APPLICABLE UNDER TRAINED INDUSTRY USAGE

HEALTH EFFECTS - CHRONIC

NONE KNOWN

FIRST AID

SWALLOWED: NOT APPLICABLE UNDER TRAINED INDUSTRY USAGE
EYE: NOT APPLICABLE UNDER TRAINED INDUSTRY USAGE
SKIN: NOT APPLICABLE UNDER TRAINED INDUSTRY USAGE
INHALED: NOT APPLICABLE UNDER TRAINED INDUSTRY USAGE

ADVICE TO DOCTOR: NOT APPLICABLE UNDER TRAINED INDUSTRY USAGE

PRECAUTIONS FOR USE

EXPOSURE STANDARDS: NOT APPLICABLE

ENGINEERING CONTROLS:

THIS IS A FOIL BASED ADHESIVE TAPE. AS SUCH, THE FOLLOWING ARE POINTED OUT TO THE USERS OF THIS PRODUCT: -

1. THE BACKING SURFACE IS HIGHLY REFLECTIVE OF LIGHT. USE ADEQUATE CARE NOT TO BE "BLINDED" BY REFLECTIONS DURING APPLICATION
2. THE TAPE IS A "TOUGH" CONSTRUCTION. IT'S MAIN COMPONENTS BEING BACKING AND RELEASE LINER. TAKE CARE NOT TO BE CUT BY EITHER THE BACKING OR THE RELEASE LINER EDGES DURING APPLICATION.
3. THE RELEASE LINER IS SLIPPERY. THIS MEANS THAT THE LINER SHOULD BE DISCARDED INTO A SUITABLE CONTAINER IMMEDIATELY AFTER REMOVAL PRIOR TO TAPE APPLICATION TO AVOID SLIP HAZARDS.

PERSONAL PROTECTION

NOT APPLICABLE.

MATERIAL SAFETY DATA SHEET

Page 3 of 4
JUNE 2006

PPC No. 9801 ALUMINIUM BUTYL FOIL TAPE
1-00

VERSION:

FLAMMABILITY

KEEP AWAY FROM SOURCES OF IGNITION: YES
USE ONLY IN FLAMEPROOF AREA: NO

SAFE HANDLING INFORMATION

STORAGE AND TRANSPORT

GENERAL:	NO SPECIAL REQUIREMENTS
STORAGE:	STORE IN ORIGINAL CONTAINER AT ROOM TEMPERATURE (<35°C)
UN NUMBER:	FREE
DG CLASS & SUBSIDIARY RISK:	NOT APPLICABLE
PACKAGING GROUP:	NOT APPLICABLE
HAZCHEM CODE:	NOT APPLICABLE
IATA CLASS:	FREE
IMDG REFERENCE:	FREE
INCOMPATIBLE DG CLASSES:	NONE KNOWN
INCOMPATIBLE RECEPTACLE:	NONE KNOWN
INCOMPATIBLE SUBSTANCES:	NONE KNOWN
EMERGENCY PROCEDURE GUIDE DATE:	NOT APPLICABLE
HANDLING:	SEE ENGINEERING CONTROLS ABOVE
WHOLESALE-CARTONED PRODUCT:	NOT APPLICABLE
AT SITE USE PRODUCT:	SEE ENGINEERING CONTROLS ABOVE

SPILLS & DISPOSAL

THIS IS A STABLE MANUFACTURED PRODUCT. SPILLS WOULD NORMALLY REQUIRE ONLY COLLECTION OF SPILT MATERIAL. DISPOSAL IS SUBJECT TO LOCAL STATE WASTE REGULATIONS.

FIRE/EXPLOSION HAZARD

EXTINGUISHING MEDIA:	WATER MIST, FOAM, CO2, DRY POWDER
HAZARDOUS COMBUSTION PRODUCTS:	NONE KNOWN
SPECIAL PROTECTIVE CLOTHING:	USUAL FIRE-FIGHTING EQUIPMENT

MATERIAL SAFETY DATA SHEET

**PPC No. 9801 ALUMINIUM BUTYL FOIL TAPE
1-00**

**Page 4 of 4
JUNE 2006**

VERSION:

OTHER INFORMATION

ENVIRONMENTAL DATA: NO TOXICITY TO ENVIRONMENT

FISH TOXICITY: NOT AVAILABLE

TOXICITY TO BACTERIA: NOT AVAILABLE

OECD BIOLOGICAL DEGRADATION: NOT AVAILABLE

CAN BE INCINERATED OR RECYCLED

FURTHER INFORMATION

SINCE WE CANNOT ANTICIPATE OR CONTROL THE MANY DIFFERENT CONDITIONS UNDER WHICH THIS INFORMATION AND THIS PRODUCT MAY BE USED, EACH SHOULD REVIEW THESE RECOMMENDATIONS IN THE SPECIFIC CONTEXT OF THE INTENDED APPLICATION AND CONFIRM THAT THEY ARE APPROPRIATE.

CONTACT POINT

PLEASE CONTACT:

PHONE:

EMAIL:

LABORATORY MANAGER

(02) 9780 9000

info@ppcpl.com.au

AUTHORISED BY:

R. LEVOT

DATE: 26-06-06