



# MATERIAL SAFETY DATA SHEET

Date Revised: 29-Aug-12 Revision No. 1-00

### **SECTION 1: Product and Manufacturer Information**

7900 Series PVC/Nitrile Foam Tape

Sealing against water and vapour transmission in automotive, marine, sheet metal building and construction industries.

Precision Paper Coatings Pty.Ltd.

ABN 30 000 845 518

25 Miowera Rd., Villawood, NSW 2163 Tel: (02) 9780 9000 (Business Hours)

Fax: (02) 9728 9966 Email: lab@ppcpl.com.au

#### **SECTION 2: Hazards Identification**

The product is considered a non hazardous, non dangerous material. The product is not considered to present any hazards when used according to approved working procedures.

# **SECTION 3: Composition / Information on Ingredients**

CAS No.	Proportion
Not Available	30-60%
Not Available	10-30%
Not Available	10-30%
	Not Available

Elastomeric thermal insulation rubber foam is an expanded closed cell cross-linked rubber compound. It contains synthetic polymers, fillers, plasticizer and rubber chemicals.

#### **SECTION 4: First Aid Measures**

No special measures.

Inhalation: Not hazardous under trained industry usage.
Skin Contact: Skin contact with the adhesive surface should be

avoided as removal may be painful.

Short term exposure is not harmful but long term contact may cause irritation in sensitive inividuals.

Eye Contact: Irrigate with clean water, if irritation persists seek

medical advice.

Ingestion: Treat as ingestion of inert/indigestible matter.

# **SECTION 5: Fire Fighting Measures**

The product is not classified as flammable but can burn.

Extinguishing media could include water spray, carbon dioxide, foam and dry powder.

Combustion will release toxic fumes of carbon monoxide, hydrogen chloride and hydrogen cyanid NIOSH/MSHA approved self-contained breathing apparatus and full protective clothing should be worn during fire fighting operations.

#### **SECTION 6: Accidental Release Measures**

No precautions necessary, collect spilled rolls manually.

#### **SECTION 7: Handling and Storage**

No special requirements.

Store in original carton preferably below 30°C and away from direct sunlight.

# **SECTION 8: Exposure Controls / Personal Protection**

Under normal conditions the product does not present a health hazard.

National Exposure Standards:

Biological Limit Values:

Engineering Controls:

Not Applicable

Not Applicable

Personal Protective Equipment:

Eyes: Safety glasses recommended

Hands: Not Applicable Respiratory: Not Applicable

#### **SECTION 9: Physical and Chemical Properties**

The product is a roll of pressure sensitive adhesive foam tape. It has a slight odour.

It is insoluble in water.

# **SECTION 10: Stability and Reactivity**

The product is stable under normal usage.

Flammable decomposition products above 260°C.

### **SECTION 11: Toxicological Information**

No intrinsic health hazard if used according to accepted working practices.

# **SECTION 12: Ecological Information**

Good working practices should be adopted when using this product to avoid release into the environment.

Water Toxicity: Data not available Persistence/Degradability: Data not available

### **SECTION 13: Disposal Considerations**

Surplus product may be recycled to reclaim the aluminium or disposed of at approved land fill sites in accordance with local laws.

# **SECTION 14: Transport Information**

Not dangerous.

# **SECTION 15: Regulatory Information**

Labelling not required.

#### **SECTION 16: Other information**

The data contained in this safety data sheet is based on current knowledge and no guarantee can be given as to the sufficiency of the information. The user must ensure the suitability of the information according to the specific use intended. Additional measures may be required under particular or exceptional circumstances.

**Issued 29 Aug 2012** 

Page	5	of	6
ugo	J	O.	v

e.